

Date: Thursday, 9/21/2006 3:13:02 PM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: OH-58 AFT X-TUBE ASSEMBLY
Job Number	: 28677		
Estimate Number	: 10246		
P.O. Number	: N/A	Part Number	: D058676201
This Issue	: 9/21/2006	S.O. No.	: N/A
Prsht Rev.	: NC	Drawing Number	: D058-676-241 REV A2
First Issue	: N/A	Project Number	: N/A
Previous Run	: 19634	Drawing Revision	: A2
		Material	: V/A
Written By	:	Due Date	: 10/10/2006
Checked & Approved By	: <i>JA 06 09.21</i>	Qty:	1 Um: Each
Comment	: Est Rev:E 04.02.16 Reformat KJ/DS		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	DC	DOCUMENT CONTROL
-----	----	------------------



Comment: DOCUMENT CONTROL

Photocopy bluefile and create labels as per PPP D058-676-201CHG001

KG 06 09.21

2.0	D6007106	Crosstube
-----	----------	-----------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part number Description Batch

1 D6007-106 Crosstube *15988*

Check OD = 2.250"; ID = 1.550"

MS 06/09/22 1

3.0	MORI SEIKI	MORI SEIKI CNC LATHE LARGE
-----	------------	----------------------------



Comment: MORI SEIKI CNC LATHE LARGE

1-Fill tube with sand & install plugs DT8534 on both ends as per Folio FA086

2-Turn first side as per Folio FA086

3-Deburr & Inspect for surface damage. Repair damage within limits as per Dwg D058-676-241. *BG 06.09.23 1*

4.0	QC1	INSPECT ALL DIM TO DIM SHEET
-----	-----	------------------------------



Comment: INSPECT ALL DIM TO DIM SHEET

BG 06.09.23 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 9/21/2006 3:13:03 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 AFT X-TUBE ASSEMBLY

Job Number: 28677

Part Number: D058676201

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

MORI SEIKI

MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

1-Turn second side as per Folio FA086

2-Deburr & Inspect for surface damage. Repair damage within limits as per Dwg D058-676-241.

BG 06-09-23

1

6.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

BG 06-09-23

1

7.0

QC8

SECOND CHECK



Comment: SECOND CHECK

J.G 06109125

1

8.0

MORI SEIKI

MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

1-Polish entire outside surface of crosstube

DP 6-928 ~~do not engrave~~

2-Remove sand and plugs

3-Scribe part # and batch # using vibrating stylus as per Dwg D058-676-241

Inside of Cuff (Do not engrave on outside of tube)

BG 06-09-23

1

9.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1 within 24 hours of machining

①

10.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

BE 06-10-05

11.0

BENDING


BENDING MACHINE



Comment: BENDING MACHINE

Bend tube as per Dwg D058-676-241 using CNC bender program OH58-af and Folio FT

DP 6-10-5

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
06-09-23	7,8	Please move second check to after machining operation. switch seg # 7,8.	BG				 06-10-19

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 9/21/2006 3:13:03 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 AFT X-TUBE ASSEMBLY

Job Number: 28677

Part Number: D058676201

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

QC6

DIMENSIONAL CHECK



Comment: Inspect dimensions and work To Current Step

2006-10-10 ①

13.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Drill pilot holes in tube as per Dwg D058-676-241 using drill Jig DT8541 & DT8542

2-Ream hole to finish size in tube as per Dwg D058-676-241 using drill Jig DT8541 & DT8542. Check dimensions between holes, both sides on both cuffs, to ensure alignment with saddle holes.

3-Deburr & Inspect for surface damage. Repair damage within limits as per Dwg D058-676-241

RT 06-10-12
RT 06-10-16

14.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1 within 24 hours of bending and drilling

2006-10-13 ①

15.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

2006-10-16 ①

16.0

OUTSIDE SERVICE

OUTSIDE SERVICES



Comment: Sub-Contracting OUTSIDE SERVICES

Liquid Penetrant Inspection as per QSI 0380

Issue P/O: *2296*

LPI as per ASTM 1417 Level 2

Attach copy of NDT results to work order

2006-10-16 ①

17.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Inspect for transit damage Ensure copy of NDT results attached to work order.

2006-10-18

18.0

QC6

DIMENSIONAL CHECK



Comment: Inspect for damage & ensure results are as per Dwg D058-676-241

2006-10-19 ①
2006-10-18 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 9/21/2006 3:13:03 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 AFT X-TUBE ASSEMBLY

Job Number: 28677

Part Number: D058676201

Job Number:



Seq. #:

Machine Or Operation:

Description :

19.0

SPRAY PAINTING

SPRAY PAINTING



Comment: SPRAY PAINTING

1-Prime inside and outside crosstube as per QSI 005 4.2

FC 06 1019 (1)

2-Paint outside crosstube with White Imron as per QSI 005 4.2

MM 06 10 13 (1)

20.0

QC14

Inspect Spray Paint



Comment: Inspect Spray Paint

Then, Wrap in plastic bag to protect from scratches

1806-10200

21.0

D2856400

Abrasion Strip



Comment: Qty.: 0.5800 f(s)/Unit Total : 0.5800 f(s)

Pick:

Qty Part number

Description

Batch

2 D2856-400-694 Abrasion Strip

828258 RT 06-10-30

22.0

D28911

Support 2.25 dia



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part number

Description

Batch

2 D2891-1

Support

628712

RT 06-10-30

23.0

MS2192020

Clamp (per MIL-DTL-8783C)



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Qty Part number

Description

Batch

4 MS21920-20

Clamp

815936

RT 06-10-30

24.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Install abrasion strips as per QSI 035 using DT8579

2-Install supports and clamps as per Dwg D058-676-241. Torque clamps to 80-100 in lb.

} RT 06-10-30

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 9/21/2006 3:13:03 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 AFT X-TUBE ASSEMBLY

Job Number: 28677

Part Number: D058676201

Job Number:



Seq. #: Machine Or Operation: Description :

25.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

206-10-30 *1* *106/10/30* *1*

26.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Pick Packing Kit

27.0

AN532A

Bolt



Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s)

Pick: Packing Kit

Qty Part number

Description Batch

4 AN5-32A

Bolt

M102338

28.0

AN960JD516

Washer



Comment: Qty.: 8.0000 Each(s)/Unit Total: 8.0000 Each(s)

Pick: Packing Kit

Qty Part number

Description Batch

8 AN960JD516

Washer

M152328

29.0

MS21042L5

Nut



Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s)

Pick: Packing Kit

Qty Part number

Description Batch

4 MS21042L5

Nut (or -5)

M101648

206/10/31

30.0

QC4

INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

206/10/31

31.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D058-676-201

Location: _____

New B

206/10/31 *1*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: DP Date: 2/18/31
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 9/21/2006 3:13:03 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 AFT X-TUBE ASSEMBLY

Job Number: 28677

Part Number: D058676201

Job Number:



Seq. #:

Machine Or Operation:

Description :

32.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

3 4 06/10/31 (1)

Job Completion



W 06/10/31

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	28677
Description: Crosstube Assembly (OH-58 High Aft)		Part Number:	D058-676-241
Inspection Dwg: D058-676-241 Rev: A2		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article
 ☐ Prototype

	Inspection Sheet Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
SIDE A	2.240	+0.005/-0.000					
	1.870	+0.005/-0.000					
	1.956	+0.005/-0.000					
	2.045	+0.005/-0.000					
	2.093	+0.005/-0.000					
	2.140	+0.005/-0.000					
	2.188	+0.005/-0.000					
	2.228	+0.005/-0.000					
	0.186	+0.005/-0.000					
	0.500	+0.005/-0.000					
	R0.063	+0.005/-0.000					
	R0.500	+0.005/-0.000					
SIDE B	103.51	+0.005/-0.000					
	2.240	+0.005/-0.000					
	1.870	+0.005/-0.000					
	1.956	+0.005/-0.000					
	2.045	+0.005/-0.000					
	2.093	+0.005/-0.000					
	2.140	+0.005/-0.000					
	2.188	+0.005/-0.000					
	2.228	+0.005/-0.000					
	0.186	+0.005/-0.000					
	0.500	+0.005/-0.000					
	R0.063	+0.005/-0.000					
	R0.500	+0.005/-0.000					

Measured by:		Audited by:		Prototype Approval:	N/A
Date:		Date:		Date:	N/A

Rev	Date	Change	Revised by	Approved
A	05.04.27	New Issue (P/O D058-676-201)	KJ/JLM	<i>[Signature]</i>



DESIGN CP	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D058-676-241	REV. A SHEET 1 OF 3
DATE 00.11.17		TITLE CROSSTUBE ASS'Y (OH-58 HIGH AFT) NTS	
A	00.11.17	NEW ISSUE	

Qty	Part Number	Description
X	D058-676-241	CROSSTUBE ASSEMBLY (OH-58 HIGH AFT)
1	D6007-106	CROSSTUBE
2	D2856-400-694	ABRASION STRIP
2	D2891-1	SUPPORT
4	MS21920-20	CLAMP

GENERAL NOTES:

- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 2) MATERIAL: MANUFACTURED FROM D6007-106
FINISHED LENGTH = 103.51±0.020
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART QSI 005 4.2
- 4) PART IS SYMMETRIC ABOUT CENTERLINE.
- 5) RUN-OFF PART. BLEND OUT EDGE LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH.
- 6) MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 7) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 8) SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS.
- 9) INSTALL D2856-400-694 ABRASION STRIP WITH A 0.13 (REF) GAP ON BOTTOM SIDE OF CROSSTUBE, CENTERED OPPOSITE D2891-1 SUPPORT, PER QSI 035.
- 10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 11) SEAL EDGES OF SUPPORTS AND ABRASION STRIP USING SIKAFLEX-241/291 SEALANT.
- 12) TORQUE CLAMPS 80 TO 100 IN-LB.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 28677






RELEASED
00.11.24

A2	01.07.16	UPDATE DIM TO FIRST HOLE	CP
A1	01.03.07	ADD D058-676-601 P/N	CP

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



RELEASED
00.11.24




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 28617

COPYRIGHT © 2000 BY DART AEROSPACE LTD.		DESIGN	CP	DRAWN BY	CP	DART	DART AEROSPACE LTD. WARRIMUR, ONTARIO, CANADA
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED	✓	APPROVED	✓	DRAWING NO.	REV. A
		DATE	00.11.17			D058-676-241	SHEET 2 OF 3
						CROSSTUBE ASS'Y (OH-58 HIGH AFT)	SCALE 1:10

RELEASED
00 11 24 97



DETAIL C:
TAPER RUN-OFF
NOT TO SCALE



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER NO. 28677

COPYRIGHT © 2000 BY DART AEROSPACE LTD.		DESIGN	OP	DRAWN BY	OP	DART DART AEROSPACE LTD. HAMPSHIRE, ONTARIO, CANADA	REV. A SHEET 3 OF 3
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED	#	APPROVED	#		
		DATE	00.11.17	DRAWING NO.		D058-676-241	SCALE
				TITLE		CROSSTUBE ASS'Y (OH-58 HIGH AFT)	1:1

DART AEROSPACE LTD	Work Order: 28677
Description: X-Tube	Part Number: D058-676-841
Inspection Dwg: D058-676-241, Rev: A	Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☒ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
2.240	+0.005 -0.000	2.245	✓			
1.870	"	1.875	✓			
1.956	"	1.961	✓			
2.045	"	2.050	✓			
2.093	"	2.096	✓			
2.140	"	2.145	✓			
2.188	"	2.192	✓			
2.228	"	2.232	✓			
4.207	±0.03	4.207	✓			
.186	±0.010	.186	✓			
2.240	+0.005 -0.000	2.244	✓			
1.870	"	1.875	✓			
1.956	"	1.961	✓			
2.045	"	2.050	✓			
2.093	"	2.095	✓			
2.140	"	2.145	✓			
2.188	"	2.191	✓			
2.228	"	2.232	✓			
4.207	±0.030	4.207	✓			
.186	±0.010	.186	✓			
103.51	±0.020	103.51	✓			

Measured by: BG	Audited by: S.G	Prototype Approval:
Date: 06.09.23	Date: 06/09/25	Date:

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	



DATE: 06-10-10

DESCRIPTION: 058-676-201

BATCH NO: B 28677

DRAWING: 058-676-241 R: A

H: 23.98 $\pm .06$

1/2 SPAN: 40.92

TOTAL SPAN: 81.84

ANGLE: 54 \pm 0

[Signature]
06-10-10

**HeathAir**

INTERNATIONAL (1991) INC.

681 Ave. Lapine, Dorval, Québec H9P 1G3

Tél.: (514) 836-1000 • Fax: (514) 836-0031

W.O. N° 35067

A.M.O. Number: 48/90

NON-DESTRUCTIVE TESTING REPORT**AIRCRAFT / COMPONENT INFORMATION**

REGISTRATION:

MODEL/TYPE:

SERIAL NUMBER:

TOTAL HR/LDG:

OPERATED BY:

BASED AT:

INSPECTION REQUIREMENTS

Carry out FPI of (5) cross tubes (external surface) as per ASTM E-1417-05 and the Dart QSI 038, Section 4.1.1 (on file at client) - parts delivered to HeathAir.

Qty (1) P/N D206-667-101 Cross tube S/N B28679.

Qty (3) P/N D058-676-201 Cross tubes S/N's B28678, B28677 and B19629.

Qty (1) P/N D206-667-201 Cross tube S/N B26379.

☐ RADIOGRAPHY☐ ULTRASONIC☒ PENETRANT☐ MAGNETIC PARTICLE☐ EDDY CURRENT**INSPECTION REPORT**

Fluorescent penetrant inspection was performed in accordance with the above requirements on (5) Cross Tubes.

Note: A Level 3 penetrant was substituted for the requested Level 2 (3 is more sensitive) Ardrex 970P25E Batch #04B503.

(5) cross tubes inspected. (5) PASSED inspection / (0) FAILED inspection.

THE MAINTENANCE DESCRIBED ABOVE HAS BEEN PERFORMED IN ACCORDANCE WITH
THE APPLICABLE STANDARDS OF AIRWORTHINESS

DATE **October 17, 2006**INSPECTED BY: INSPECTION
STAMP(S) **CUSTOMER INFORMATION**CUSTOMER: **Dart Aerospace**P.O. NUMBER **2246**

ADDRESS:

CONTACT NAME: **Linda**

LABOUR

② **F. 613-632-1053**

\$

MATERIALS

②

TRAVEL EXPENSES

②

GST

HOTEL EXPENSES

②

PST

INVOICE NO. TOTAL \$ 

WHITE COPY - INSPECTION FILE • YELLOW COPY - CUSTOMER • PINK COPY - ACCOUNTANT